

Health Literacy and Patient Activation

Doug Seubert, *Health Communications Specialist*
doug@healthcommunications.org

This bibliography is from a webinar sponsored by Krames Patient Education. For more information, visit:
<http://www.healthcommunications.org/health-literacy-and-patient-activation.php>

Description

Low health literacy is a barrier to care, and populations with chronic diseases are at higher risk. Research suggests activation may help compensate for lower literacy skill. This biography lists relevant research on initiatives and strategies to promote patient activation and to address the needs of patients with low health literacy.

Research Included in the Presentation

Anderson RT, Balkrishnan R, Camacho F, Bell R, Duren-Winfield V, Goff D. Patient-centered outcomes of diabetes self-care. Associations with satisfaction and general health in a community clinic setting. *N C Med J*. 2003 Mar-Apr; 64 (2):58-65. <http://www.ncbi.nlm.nih.gov/pubmed/12774734>

Cegala DJ, Post DM, McClure L. The effects of patient communication skills training on the discourse of older patients during a primary care interview. *J Am Geriatr Soc*. 2001 Nov;49(11):1505-11.
<http://www.ncbi.nlm.nih.gov/pubmed/11890590>

Davis TC, Crouch MA, Wills G, et al. The gap between patient reading comprehension and the readability of patient education materials. *J Fam Pract* 1990; 31:533-8. <http://www.ncbi.nlm.nih.gov/pubmed/2230677>

Davis TC, Mayeaux EJ, Fredrickson D, Bocchini JA Jr, Jackson RH, Murphy PW. Reading ability of parents compared with reading level of pediatric patient education materials. *Pediatrics* 1994;93:460-468.
<http://www.ncbi.nlm.nih.gov/pubmed/8115206>

Doak C, Doak L, Root J. *Teaching patients with low literacy skills*, 2nd ed, JB Lippincott Company, New York 1996. <http://www.hsph.harvard.edu/healthliteracy/resources/doak-book/>

Hibbard JH, Cunningham PJ. How engaged are consumers in their health and health care, and why does it matter? *Res Briefs*. 2008 Oct;(8):1-9. <http://www.hschange.org/CONTENT/1019/1019.pdf>

Hibbard JH, Mahoney ER, Stock R, Tusler M. Do increases in patient activation result in improved self-management behaviors? *Health Serv Res*. 2007 Aug;42(4):1443-63.
<http://www.ncbi.nlm.nih.gov/pubmed/17610432>

Hibbard JH, Mahoney ER, Stockard J, Tusler M. Development and testing of a short form of the patient activation measure. *Health Serv Res*. 2005 Dec;40(6 Pt 1):1918-30.
<http://www.ncbi.nlm.nih.gov/pubmed/16336556>

Hibbard JH, Stockard J, Mahoney ER, Tusler M. Development of the Patient Activation Measure (PAM): conceptualizing and measuring activation in patients and consumers. *Health Serv Res*. 2004 Aug;39(4 Pt 1):1005-26. <http://www.ncbi.nlm.nih.gov/pubmed/15230939>

Johnson JA, Singal R. Impact of a Web-Based Diabetes Program and Personal Health Record on Diabetes Quality of Care. *JMCM*. 2006;9(2):12-16.

<http://www.namecp.com/Journals/JMCM/Articles/Impact%20of%20a%20Web-Based%20Diabetes%20Program.pdf>

Katz MG, Jacobson TA, Veledar E, Kripalani S. Patient literacy and question-asking behavior during the medical encounter: a mixed-methods analysis. *J Gen Intern Med*. 2007 Jun;22(6):782-6. Epub 2007 Apr 12.

<http://www.ncbi.nlm.nih.gov/pubmed/17431697>

Mohler PJ, Mohler NB. Improving chronic illness care: lessons learned in a private practice. *Fam Pract Manag*. 2005 Nov-Dec;12(10):50-6. <http://www.ncbi.nlm.nih.gov/pubmed/16366442>

Paasche-Orlow MK, Schillinger D, Greene SM, Wagner EH. How health care systems can begin to address the challenge of limited literacy. *J Gen Intern Med*. 2006 Aug;21(8):884-7.

<http://www.ncbi.nlm.nih.gov/pubmed/16881952>

Paasche-Orlow MK, Wolf MS. Evidence does not support clinical screening of literacy. *J Gen Intern Med*. 2008 Jan;23(1):100-2. Epub 2007 Nov 9. <http://www.ncbi.nlm.nih.gov/pubmed/17992564>

Parikh NS, Parker RM, Nurss JR, Baker DW, Williams MV. Shame and health literacy: the unspoken connection. *Patient Educ Couns*. 1996;27:33-39. <http://www.ncbi.nlm.nih.gov/pubmed/8788747>

Vernon J, Trujillo A, Rosenbaum S, et al. *Low Health Literacy: Implications for National Health Policy*. Oct 2007. http://npsf.org/askme3/pdfs/Case_Report_10_07.pdf

Williams MV, Baker DW, Honig EG, Lee TM, Nowlan A. Inadequate literacy is a barrier to asthma knowledge and self-care. *Chest*. 1998 Oct;114(4):1008-15. <http://www.ncbi.nlm.nih.gov/pubmed/9792569>

Wilson FL, Racine E, Tekieli V, Williams B. Literacy, readability and cultural barriers: Critical factors to consider when educating older African Americans about anticoagulation therapy. *J Clin Nurs* 2003;12:275-282. <http://www.ncbi.nlm.nih.gov/pubmed/12603561>

Related Research

Bandura A. Self-efficacy: toward a unifying theory of behavioral change. *Psychol Rev*. 1977 Mar;84(2):191-215. <http://www.ncbi.nlm.nih.gov/pubmed/847061>

Bethel C. *Patient-Centered Care Measures for the National Health Care Quality Report*. Portland, OR: Foundation for Accountability; 2000.

http://www.markle.org/resources/facet/doclibFiles/documentFile_168.pdf

Bodenheimer T, Lorig K, Holman H, Grumbach K. Patient self-management of chronic disease in primary care. *JAMA*. 2002 Nov 20;288(19):2469-75. <http://www.ncbi.nlm.nih.gov/pubmed/12435261>

Bodenheimer T, Wagner EH, Grumbach K. Improving primary care for patients with chronic illness. *JAMA* 2002 Oct 9;288(14):1775-9. <http://www.ncbi.nlm.nih.gov/pubmed/12365965>

Center for the Advancement of Health. *A New Definition of Patient Engagement: What is Engagement and Why is it Important?* Washington, D.C., Center for the Advancement of Health, 2008.

http://www.cfah.org/pdfs/CFAH_EBF_102008.pdf

Glasgow RE, Wagner EH, Schaefer J, Mahoney LD, Reid RJ, Greene SM. Development and Validation of the Patient Assessment of Chronic Illness Care (PACIC). *Med Care* 2005; 43(5):436-44. <http://www.ncbi.nlm.nih.gov/pubmed/15838407>

Glasgow RE, Whitesides H, Nelson CC, King DK. Use of the Patient Assessment of Chronic Illness Care (PACIC) With Diabetic Patients: Relationship to patient characteristics, receipt of care, and self-management. *Diabetes Care* 2005; 28 (11):2655-61. <http://www.ncbi.nlm.nih.gov/pubmed/16249535>

Glasgow RE, Funnell MM, Bonomi AE, Davis C, Beckham V, Wagner EH. Self-management aspects of the improving chronic illness care breakthrough series: implementation with diabetes and heart failure teams. *Ann Behav Med*. 2002 Spring;24(2):80-7. <http://www.ncbi.nlm.nih.gov/pubmed/12054323>

Greene J, Hibbard JH, Tusler M. *How Much do health literacy and patient activation contribute to older adults' ability to manage their health?* AARP Public Policy Institute. (Paper 2005-05) http://www.aarp.org/research/health/healthliteracy/2005_05_literacy.html

Holman H, Lorig K. Patients as partners in managing chronic disease. Partnership is a prerequisite for effective and efficient health care. *BMJ*. 2000 Feb 26;320(7234):526-7. <http://www.ncbi.nlm.nih.gov/pubmed/10688539>

Institute of Medicine: *Health Literacy: A Prescription to End Confusion*. Washington, D.C., The National Academies Press, 2004. <http://www.iom.edu/?id=19723&redirect=0>

Sevick MA, Trauth JM, Ling BS, Anderson RT, Piatt GA, Kilbourne AM, Goodman RM. Patients with Complex Chronic Diseases: perspectives on supporting self-management. *J Gen Intern Med*. 2007 Dec;22 Suppl 3:438-44. <http://www.ncbi.nlm.nih.gov/pubmed/18026814>